

---

# Contents

|          |  |    |
|----------|--|----|
| <b>1</b> | <b>Introduction</b> .....                                  | 1  |
| <b>2</b> | <b>Simple epidemic models</b> .....                        | 5  |
| 2.1      | SIS epidemic .....   | 5  |
| 2.1.1    | Solving directly .....                                     | 8  |
| 2.1.2    | Phase portraits .....                                      | 10 |
| 2.2      | SIR epidemics .....  | 14 |
| 2.3      | Lab work .....   | 16 |
| 2.3.1    | Exercises .....  | 19 |
| <b>3</b> | <b>Calculating <math>R_0</math></b> .....                  | 23 |
| 3.1      | Threshold parameters .....                                 | 23 |
| 3.2      | The method of Anderson & May .....                         | 24 |
| 3.3      | The Jacobian .....   | 25 |
| 3.3.1    | The SIS model threshold .....                              | 26 |
| 3.3.2    | The endemic equilibrium for the SIS model .....            | 28 |
| 3.3.3    | The SIR model threshold .....                              | 28 |
| 3.3.4    | The endemic equilibrium for the SIR model .....            | 30 |
| 3.4      | Other methods for calculating $R_0$ .....                  | 30 |
| 3.4.1    | Survival Function .....                                    | 31 |
| 3.4.2    | Next-generation method .....                               | 32 |
| 3.4.3    | Average Age at Infection .....                             | 35 |
| 3.4.4    | The Final Size Equation .....                              | 35 |
| 3.4.5    | Calculation from the Intrinsic Growth Rate .....           | 36 |
| 3.5      | Vectorial capacity .....                                   | 36 |
| 3.6      | Lab work .....   | 37 |
| 3.6.1    | Exercises .....  | 38 |
| <b>4</b> | <b>A vector-borne disease with lifelong immunity</b> ..... | 41 |
| 4.1      | Building a vector-borne disease model .....                | 41 |
| 4.2      | Finding eigenvalues .....                                  | 43 |

|          |   |            |
|----------|---|------------|
| 4.3      | Deriving a threshold condition .....                        | 44         |
| 4.4      | Total population behaviour .....                            | 45         |
| 4.5      | Lab work .....  | 46         |
| 4.5.1    | Exercises .....   | 49         |
| <b>5</b> | <b>A vector-borne disease with temporary immunity</b> ..... | <b>53</b>  |
| 5.1      | Temporary immunity .....                                    | 53         |
| 5.2      | Lab work .....  | 55         |
| 5.2.1    | Exercises .....   | 56         |
| <b>6</b> | <b>The spread of measles</b> .....                          | <b>59</b>  |
| 6.1      | The Conservation Law .....                                  | 59         |
| 6.1.1    | Diffusion .....   | 62         |
| 6.2      | Measles in a corridor .....                                 | 63         |
| 6.3      | Lab work .....  | 65         |
| 6.3.1    | Exercises .....   | 72         |
| <b>7</b> | <b>Solving Partial Differential Equations</b> .....         | <b>75</b>  |
| 7.1      | Separation of variables .....                               | 75         |
| 7.2      | Boundary conditions .....                                   | 78         |
| 7.3      | Initial conditions .....                                    | 79         |
| 7.4      | Lab work .....  | 79         |
| 7.4.1    | Exercises .....   | 80         |
| <b>8</b> | <b>Fitting curves to data</b> .....                         | <b>83</b>  |
| 8.1      | Model fitting vs. interpolation .....                       | 83         |
| 8.2      | Sources of error in the modelling process .....             | 87         |
| 8.3      | Visual fitting with the original data .....                 | 88         |
| 8.4      | Transforming the data .....                                 | 90         |
| 8.4.1    | Regression coefficients can be misleading .....             | 93         |
| 8.4.2    | Transformations can also be misleading .....                | 94         |
| 8.5      | Lab work .....  | 98         |
| 8.5.1    | Exercises .....   | 100        |
| <b>9</b> | <b>Splines</b> .....  | <b>103</b> |
| 9.1      | Spline interpolation .....                                  | 103        |
| 9.2      | Linear splines .....  | 104        |
| 9.3      | Cubic splines .....   | 106        |
| 9.3.1    | An example .....  | 108        |
| 9.3.2    | Generalising .....  | 111        |
| 9.4      | Lab work .....  | 111        |
| 9.4.1    | Exercises .....   | 111        |

|   |     |
|---|-----|
| <b>10 The discrete logistic equation</b> .....                      | 115 |
| 10.1 Developing a nonlinear model .....                             | 115 |
| 10.1.1 Spatial limitations .....                                    | 115 |
| 10.1.2 Difference equations .....                                   | 116 |
| 10.2 Cobwebbing .....   | 119 |
| 10.2.1 Stability in the discrete logistic equation .....            | 121 |
| 10.2.2 More complex behaviour .....                                 | 122 |
| 10.3 Lab work .....   | 124 |
| 10.3.1 Exercises .....  | 126 |
| <b>11 Bifurcations</b> .....  | 129 |
| 11.1 Stability in difference equations .....                        | 129 |
| 11.1.1 The range $0 < r < 3$ .....                                  | 130 |
| 11.1.2 The range $3 < r < 3.45$ .....                               | 131 |
| 11.1.3 The range $r > 3.45$ .....                                   | 134 |
| 11.2 Other bifurcations .....                                       | 134 |
| 11.3 Lab work .....   | 135 |
| 11.3.1 Exercises .....  | 136 |
| <b>12 Application: AIDS and end-stage renal disease</b> .....       | 139 |
| 12.1 Determining AIDS prevalence .....                              | 140 |
| 12.2 Determining end-stage renal disease prevalence .....           | 144 |
| 12.3 Model fitting .....  | 147 |
| 12.4 Using the model to predict future outcomes .....               | 150 |
| 12.5 Lab work .....   | 152 |
| 12.5.1 Exercise .....   | 152 |
| <b>13 Application: Malaria with a time delay</b> .....              | 155 |
| 13.1 A delay differential equation model of malaria .....           | 155 |
| 13.2 Lab work .....   | 159 |
| 13.2.1 Exercises .....  | 159 |
| <b>Partial fractions</b> .....                                      | 161 |
| <b>Eigenvalues</b> .....  | 163 |
| <b>The <math>R_0</math> sleight of hand</b> .....                   | 165 |
| <b>Finding eigenvalues for the case of permanent immunity</b> ..... | 167 |
| <b>Integrating factors</b> .....                                    | 169 |
| <b>Finding eigenvalues for the case of temporary immunity</b> ..... | 171 |
| <b>Taylor's Theorem</b> .....                                       | 173 |

|  |     |
|--|-----|
| <b>Stability of periodic orbits in the logistic equation</b> ..... | 175 |
| <b>Solving the end-stage renal disease equations</b> .....         | 177 |
| <b>Matlab overview</b> .....                                       | 179 |
| J.1 Variables and operators .....                                  | 179 |
| J.2 M-Files .....  | 180 |
| J.3 Figures.....   | 181 |
| J.4 Loops .....  | 182 |
| J.5 Solving ODEs.....  | 183 |
| J.6 Solving delay differential equations .....                     | 183 |
| J.7 Glossary of other terms .....                                  | 184 |
| <b>References</b> .....  | 185 |
| <b>Index</b> .....   | 187 |

---

## List of Figures

|      |   |    |
|------|---|----|
| 1.1  | The mathematical modelling process. . . . .                                     | 3  |
| 2.1  | An SI model. . . . .  | 6  |
| 2.2  | An SIS model. . . . .   | 7  |
| 2.3  | The time series of the infection. . . . .                                       | 10 |
| 2.4  | The linear relationship between $S$ and $I$ . . . . .                           | 11 |
| 2.5  | Equilibria for the two cases. . . . .   | 12 |
| 2.6  | The stability of the equilibrium points. . . . .                                | 13 |
| 2.7  | An SIR model. . . . .   | 14 |
| 2.8  | An SIR model with vaccination. . . . .  | 15 |
| 2.9  | An SIR model with mutation. . . . .   | 15 |
| 2.10 | Phase portrait for $b = 10$ . . . . .   | 18 |
| 2.11 | The epidemic diagram for the SIMD model. . . . .                                | 20 |
| 3.1  | A example of a two-stage basic reproductive ratio. . . . .                      | 34 |
| 4.1  | A vector-host model for a disease with permanent immunity. . . . .              | 42 |
| 4.2  | The roots of a quadratic. . . . .   | 44 |
| 4.3  | Infected mosquitos vs. infected humans. . . . .                                 | 49 |
| 5.1  | A vector-host model for malaria with temporary immunity. . . . .                | 54 |
| 5.2  | The roots of a cubic. . . . .   | 55 |
| 6.1  | The total flow of droplets in a segment of space of length $\Delta x$ . . . . . | 60 |
| 6.2  | The flow of droplets within a small length of space. . . . .                    | 60 |
| 6.3  | Approximating a thin area by a rectangle . . . . .                              | 62 |
| 6.4  | The trajectory of an airborne measles droplet . . . . .                         | 63 |
| 6.5  | Average trajectory of droplets over time. . . . .                               | 65 |
| 8.1  | Data from the 1918 influenza pandemic. . . . .                                  | 85 |
| 8.2  | Interpolating the data using a smooth curve. . . . .                            | 85 |

|      |   |     |
|------|---|-----|
| 8.3  | Fitting a parabola to the data points. . . . .  | 86  |
| 8.4  | Each data point is thought of as an interval of confidence. . . . .                   | 88  |
| 8.5  | Minimising the sum of the absolute deviations . . . . .                               | 89  |
| 8.6  | Minimising the largest absolute deviation from the fitted line. . . . .               | 90  |
| 8.7  | Plot of collected data for new HIV infections in 1981. . . . .                        | 91  |
| 8.8  | Plot of $y$ versus $e^x$ for the original data. . . . .                               | 91  |
| 8.9  | Plot of $\ln y$ versus $x$ for the transformed data. . . . .                          | 92  |
| 8.10 | Avian influenza data. . . . .   | 94  |
| 8.11 | Log transformation of avian influenza data . . . . .                                  | 94  |
| 8.12 | Exponential vs. original curve . . . . .  | 95  |
| 8.13 | Biannual outbreaks of influenza. . . . .  | 96  |
| 8.14 | The transformed data points and a line of best fit. . . . .                           | 97  |
| 8.15 | A plot of the curve $y = Ce^{1/x}$ based on the value $\ln C \approx -1.25$ . . . . . | 97  |
|      |   |     |
| 9.1  | A linear spline model . . . . .   | 104 |
| 9.2  | A cubic spline model. . . . .   | 107 |
| 9.3  | The natural cubic spline. . . . .   | 110 |
|      |   |     |
| 10.1 | The previous value vs. the updated value . . . . .                                    | 118 |
| 10.2 | Iterating the dynamics. . . . .   | 119 |
| 10.3 | Cobwebbing . . . . .  | 120 |
| 10.4 | Logistic map for $r = 0.5$ . . . . .  | 121 |
| 10.5 | Logistic map for $r = 2$ . . . . .  | 122 |
| 10.6 | Logistic map for $r = 3.2$ . . . . .  | 123 |
| 10.7 | Logistic map for $r = 4$ . . . . .  | 123 |
|      |   |     |
| 11.1 | Bifurcation diagram for $0 < r < 3$ . . . . .   | 131 |
| 11.2 | Equilibrium points of $g(x)$ . . . . .  | 132 |
| 11.3 | Bifurcation diagram for the appearance of period 2 points. . . . .                    | 133 |
|      |   |     |
| 12.1 | AIDS deaths among African Americans in the US . . . . .                               | 141 |
| 12.2 | AIDS prevalence among African Americans in the US . . . . .                           | 142 |
| 12.3 | Linear fit to pre- and post-HAART AIDS data . . . . .                                 | 143 |
| 12.4 | Linear fit to the entire AIDS data set. . . . .                                       | 144 |
| 12.5 | End-stage renal disease mortality . . . . .   | 146 |
| 12.6 | End-stage renal disease prevalence . . . . .  | 147 |
| 12.7 | Linear fit to pre- and post-HAART end-stage renal disease data . . . . .              | 148 |
| 12.8 | Linear fit to the entire end-stage renal disease data. . . . .                        | 149 |
| 12.9 | HAART-blocking effects on disease progression. . . . .                                | 151 |
|      |   |     |
| 13.1 | A example of a two-stage basic reproductive ratio. . . . .                            | 157 |
| 13.2 | Infected humans and mosquitos. . . . .  | 159 |

---

## List of Tables

|      |  |     |
|------|--|-----|
| 8.1  | Collected data for new HIV infections in 1981. ....                | 90  |
| 8.2  | Transformed data .....   | 92  |
| 8.3  | Initial infections and cull size for an avian influenza outbreak.. | 93  |
| 8.4  | Diameter of a ponderosa pine versus volume.....                    | 98  |
| 8.5  | Mean number of bugs per infected site .....                        | 100 |
| 9.1  | Data for MRSA which increases sharply one year. ....               | 105 |
| 9.2  | A linear spline model.....   | 106 |
| 9.3  | A natural cubic spline model. ....                                 | 110 |
| 13.1 | Variable and parameters for the malaria model with delay .....     | 156 |